Artwork Requirements

ARTWORK SUBMISSION SPECIFICATIONS

READ OUR GUIDELINES BELOW ON HOW TO SUBMIT YOUR ARTWORK TO US.

• You can upload your artwork via our website www.printulu.co.za (look for the 'Upload Artwork' block, Maximum size for artwork is 500Mb)

• Our DTP department will do an artwork check to ensure that your artwork is print-ready.

HOW SHOULD I SAVE MY ARTWORK?

- The safest file format to send your files to us in is PDF. However, we also accept high resolution JPG. TIFF & PNG.
- No Word, PowerPoint, CorelDRAW or any other Microsoft files can be used.
- Your artwork should be of high resolution: 300DPI, CMYK color mode.
- Please allow 3mm bleed on all sides of your artwork for paper products (Traditional Printing). Product Ordered Size + 3mm all around

This is the margin we need when trimming prints.

Please allow 5mm bleed on all sides of your artwork for paper products (Large Format Printing).
 Product Ordered Size + 5mm all around

This is the margin we need when trimming prints.

- Please ensure that all text and logos on your artwork are at least 3mm or more from the edge of the visual size of your design (Paper/Traditional Printing).
- Please ensure that all text and logos on your artwork are at least 5mm or more from the edge of the visual size of your design (Large Format Printing).
- Please refer to our templates for product specifications.
- Please convert all fonts in your artwork to outlines/paths OR embed the fonts
- Embed all images within the document.
- Embed all SOLID COATED Pantones and supply your file unflattened. Please DO NOT rename Pantones. Black should be supplied at 0% Cyan, 0% Magenta, 0% Yellow & 100% Black.
- Please ensure that all text is a minimum of 5 points in size (Paper/Traditional Printing).
- Please ensure that all text is a minimum of 8 points in size (Paper/Traditional Printing).
- Please ensure that Dietraces / Dielines / Cutlines / Foldlines / Scorlines are created as a 100%
 Spot Colour on a <u>separate layer</u>. If you supply a JPG, TIFF & PNGask Printulu to add the Dietrace / Cutline in.

WHAT DOES BLEED MEAN?

• Your submitted file must be given a bleed (border) of 3-5mm relative. Essentially this means you get the size of the print with an added 3-5mm on all sides, giving us room to cut your custom print without worrying about annoying white borders.

For example:

If you order an A5 flyer, the size is 148 x 210mm, so therefore the A5 file you send us would be 154mm x 216mm. (148mm +3mm + 3mm form per side): 154mm) - Paper/Traditional Printing

If you order an A5 Chromdek Board, the size is 148 x 210mm, so therefore the A5 file you send us would be 158mm x 220mm. (148mm +5mm +5mm form per side): 158mm) - Large Format Printing

WHICH ARE THE PREFERRED PROGRAMS TO CREATE ARTWORK?

• We use Adobe Illustrator, Adobe Photoshop and Adobe Indesign but of course there are many other programs you can use to create a file, here are some tips:

Canva: Export as High-Resolution/High Quality PNG > Then use an Online CMYK Converter as it will be RGB when it is saved from canva. *PDF for print usually doesn't embed the font, thus PNG is better.

Word, Powerpoint, Excel, Publisher: Change page size to ordered size > Create design > Save as PDF > Then use an Online CMYK Converter as it will be RGB when saved from these programs. Remember to use high qualty images in your design. (For Images: In Google > Select tools > Large)



Artwork Problems Guide

BASIC REQUIREMENTS CHEATSHEET

Product	Basic Requirements (Check that these are met before uploading to avoid AP reports)
Magnets, Canvas, Box Frame, PVC Business Card	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
Stickers, Floor Decals, Wallpaper, Name Badges	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
PVC Banners, X-Banners	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Eyelets where necessary / Template where necessary.
Brochures & Booklets	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm.
Packaging	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Dieline / Template where necessary.
Posters & Flyers, Business Cards, Letterheads, Invitations, Postcards, Folded Business Cards, Single-Fold Flyer, Roll-Fold Flyer, Z-Fold Flyer, Table Standees,	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Dieline / Template where necessary.
Large Format Items: Telescopic, Wind Cheater, Sharkfin, Parasol Umbrella, Gazebo, Pop-Up Banner, Pull-up Banner, Tablecloth, Wall Banner	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
Boards: ABS, Chromadek, Display- line	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Holes where necessary.
Brandable Items: Mousepads, Pens, Diaries, Face Shields, Shopper Bag, USB Sticks,	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
Contravision	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm.
Correx Boards	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Eyelets where necessary.
Desk Dividers / Info Boards	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template necessary.



Artwork Problems Guide

Deskpads, Wall Calendars 1 month view, Wiro Desk Calendars	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Black must be 100% K Value. Wiro: Leave 10mm clear of text on side of Wiro. Template necessary for Wiro Desk Calendar.
Tent Calendars	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Template necessary.
Tickets	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Perforation & Variable Numbering where necessary - Indicate starting number.
Wall Calendar 12 month view	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm.
Doorhangers, Presentation Folders, Tags, Rounded Corner Business Cards, Paper Bags	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. Dieline / Template necessary.
Eliptical Standee, Portal entrance, Entry Form Boxes, Free Standing Units, Info Pillar, Info Totem, Sanitiz- er Station, Stacking Cubes,	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
Hanging Mobiles, Wobbler	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.
Notepads (With & Without Cover) - DL, A5, A6 & A7	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. FOR COVERS: 30mm at top extra for foldover.
Pur Bind Booklets	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm.
Wiro Booklets	Font Size: 5pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -6mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +6mm. 25mm clear of text open on side of wiro.
Selfie Frame	Font Size: 8pt, 300dpi image quality, CMYK Colour Mode Safe Text Size: Size of product ordered -10mm. Remember to convert text to paths OR Convert artwork to Jpeg. Bleed: Product size +10mm. Dieline / Template where necessary.

ALL ARTWORKS MUST BE 300DPI & CMYK COLOUR MODE. A MAJOR CAUSE FOR THIS IS THAT A SCREEN USES RGB COLOURS. PRINTING COLOURS ARE MADE UP OF CMYK OR PANTONE COLOURS. THIS USUALLY ACCOUNTS FOR THE COLOUR DIFFERENCES.

DIELINES, HOLES AND EYELETS MUST BE IN 100% MAGENTA SPOT COLOUR.

PRINTULU DOES NOT PRINT WHITE ON TRANSPARENT VINYL. TRANSPARENT VINYL CAN ONLY BE PLACED ON WHITE PRODUCTS.

